

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	"5856617"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:58
L2	1	1 and (orthogonal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:59
L3	39	"5629922"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:59
L4	15	3 and (orthogonal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:59
L5	15	4 and (tunnel\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:59
L6	15	5 and (ferromagnetic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:59
L7	14	6 and (insulating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:59
L9	5	7 and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:00
L10	5	9 and (parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:01

L11	5	10 and (free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:01
L12	3	11 and (pinned pinning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:01
L13	2	12 and (spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:02
L14	2	13 and (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:02
L15	2	14 and (zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:02
L16	2	15 and (thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:02
L17	2	16 and (buffer capping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:10
L18	0	17 and (interlayer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:03
L19	0	17 and (coat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:03
L20	0	17 and (carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:03

L21	2	16 and (sens\$4 detect\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:10
-----	---	---	---	----	----	------------------